

Day : Thursday  
Date: 8/31/2006

PALM INTRANET

Time: 10:17:03

# Inventor Information for 09/529715

Inventor Name	City	State/Country
OHASHI, MAMORU ✓	HYOGO-KEN	JAPAN
OGASAWARA, KAZUYOSHI ✓	NARA-KEN	JAPAN
SHIRAI, YOSHIMI ✓	OSAKA-FU	JAPAN
FUJIOKA, HIROSHI ✓	OSAKA-FU	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)

Search Another: Application#

or Patent#

PCT /

or PG PUBS #

Attorney Docket #

Bar Code #


To go back use Back button on your browser toolbar.

[Back to PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Terminal Disclaimer: 6297244

11/498147. Div.

Day : Thursday  
Date: 8/31/2006


**PALM INTRANET**

Time: 10:36:16

**Inventor Name Search Result**

Your Search was:

Last Name = FUJIOKA

First Name = HIROSHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<del>07195295</del>	Not Issued	166	05/18/1988	BIPOLAR TRANSISTOR AND METHOD FOR PRODUCING SAME	FUJIOKA, HIROSHI
<del>07327729</del>	Not Issued	166	03/23/1989	CMOS STRUCTURE FOR ELIMINATING LATCH-UP OF PARASITIC THYRISTOR	FUJIOKA, HIROSHI
<del>07335415</del>	Not Issued	166	04/10/1989	SEMICONDUCTOR DEVICE SUITABLE FOR CRYOGENIC OPERATIONS	FUJIOKA, HIROSHI
<del>07442828</del>	Not Issued	166	11/29/1989	HETEROJUNCTION BIPOLAR TRANSISTOR AND METHOD OF PRODUCING THE SAME	FUJIOKA, HIROSHI
<del>07446783</del>	Not Issued	166	12/06/1989	HETERO BIPOLAR TRANSISTOR AND A FABRICATING METHOD THEREOF	FUJIOKA, HIROSHI
<del>07488837</del>	<del>5180684</del>	150	03/06/1990	SEMICONDUCTOR GROWTH PROCESS	FUJIOKA, HIROSHI
<del>07490524</del>	Not Issued	161	03/02/1990	BIPOLAR TRANSISTOR AND METHOD FOR PRODUCING SAME	FUJIOKA, HIROSHI
<del>07553960</del>	5082669	150	07/18/1990	RAPID-RELEASING ORAL PARTICLE PHARMACEUTICAL PREPARATION WITH UNPLEASANT TASTE MASKED	FUJIOKA, HIROSHI
<del>07557051</del>	<del>5061642</del>	150	07/25/1990	METHOD OF MANUFACTURING SEMICONDUCTOR ON INSULATOR	FUJIOKA, HIROSHI
<del>07657380</del>	<del>5142641</del>	150	02/19/1991	CMOS STRUCTURE FOR ELIMINATING LATCH-UP OF PARASITIC THYRISTOR	FUJIOKA, HIROSHI
<del>07660254</del>	Not Issued	161	02/25/1991	HETERO BIPOLAR TRANSISTOR AND A FABRICATING METHOD THEREOF	FUJIOKA, HIROSHI
<del>07666560</del>	Not Issued	161	03/08/1991	SEMICONDUCTOR DEVICE SUITABLE FOR CRYOGENIC OPERATIONS	FUJIOKA, HIROSHI
<del>07704721</del>	5198689	150	05/20/1991	HETEROJUNCTION BIPOLAR TRANSISTOR	FUJIOKA, HIROSHI
<del>07781607</del>	Not Issued	161	10/23/1991	PROCESS FOR FORMING GERMANIUM-CONTAINING LAYER ON OXYGEN-CONTAINING INSULATION LAYER	FUJIOKA, HIROSHI
<del>07859109</del>	<del>5206787</del>	150	03/27/1992	CAPACITOR AND METHOD OF	FUJIOKA, HIROSHI

				FABRICATING SAME	
<del>07986294</del>	<del>5346840</del>	<del>150</del>	<del>12/07/1992</del>	METHOD OF PRODUCING HETEROJUNCTION BIPOLAR TRANSISTOR HAVING NARROW BAND GAP BASE TYPE	FUJIOKA, HIROSHI
<del>08542842</del>	<del>5739901</del>	<del>150</del>	<del>10/13/1995</del>	DISTANCE MEASURING APPARATUS AND DISTANCE MEASURING METHOD FOR A VEHICLE	FUJIOKA, HIROSHI
<del>08607512</del>	<del>5828443</del>	<del>150</del>	<del>02/27/1996</del>	DISTANCE MEASURING APPARATUS	FUJIOKA, HIROSHI
<del>09269834</del>	<del>6456777</del>	<del>150</del>	<del>04/27/1999</del>	INFORMATION PROCESSOR, INFORMATION PROCESSING METHOD AND INFORMATION RECORDING MEDIUM ON WHICH INFORMATION PROCESSING METHOD IS RECORDED	FUJIOKA, HIROSHI
<del>09338805</del>	<del>6217472</del>	<del>250</del>	<del>06/23/1999</del>	METAL V-BELT	FUJIOKA, HIROSHI
09529715	Not Issued	71	04/19/2000	RAPIDLY SOLUBLE DRUG COMPOSITION	FUJIOKA, HIROSHI
09529719	6297244	150	04/19/2000	STABLE DRUG COMPOSITION	FUJIOKA, HIROSHI
<del>09622449</del>	<del>6593901</del>	<del>150</del>	<del>10/03/2000</del>	ELECTRONIC DEVICE	FUJIOKA, HIROSHI
<del>09888375</del>	<del>6577934</del>	<del>150</del>	<del>06/26/2001</del>	FAILURE DIAGNOSIS APPARATUS	FUJIOKA, HIROSHI
<del>09900962</del>	Not Issued	161	07/10/2001	Method for producing p-type gallium nitride-based compound semiconductor, method for producing gallium nitride-based compound semiconductor light-emitting device, and gallium nitride-based compound semiconductor light-emitting device	FUJIOKA, HIROSHI
<del>09920329</del>	<del>6578249</del>	<del>150</del>	<del>08/02/2001</del>	PROCESS FOR ASSEMBLING BELT FOR CONTINUOUSLY VARIABLE TRANSMISSION	FUJIOKA, HIROSHI
<del>09926605</del>	<del>6629904</del>	<del>150</del>	<del>11/26/2001</del>	DETAILED DESCRIPTION OF THE INVENTION	FUJIOKA, HIROSHI
<del>09996601</del>	Not Issued	161	11/30/2001	Drive recorder for motor vehicle and data reading apparatus for the same	FUJIOKA, HIROSHI
<del>10068104</del>	<del>6512811</del>	<del>150</del>	<del>02/05/2002</del>	EVALUATION METHOD AND EVALUATION APPARATUS FOR SEMICONDUCTOR DEVICE	FUJIOKA, HIROSHI
<del>10299795</del>	<del>6915199</del>	<del>150</del>	<del>11/20/2002</del>	MOTOR VEHICLE STATE DETECTING SYSTEM	FUJIOKA, HIROSHI
<del>10382535</del>	<del>6977487</del>	<del>150</del>	<del>03/07/2003</del>	VEHICULAR ALTERNATOR FAILURE DETERMINATION APPARATUS USING COMMUTATING DEVICE VOLTAGE	FUJIOKA, HIROSHI
<del>10563630</del>	Not	30	03/06/2006	Nitride semiconductor element and	FUJIOKA, HIROSHI

www  
TD

	Issued			method for manufacturing thereof	
<u>11030159</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11030306</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11030309</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11030335</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11030401</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11030437</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11030440</u>	Not Issued	30	01/07/2005	Motor vehicle state detecting system	FUJIOKA, HIROSHI
<u>11498147</u>	Not Issued	25	08/03/2006	Fast-dissolving pharmaceutical composition	FUJIOKA, HIROSHI
<u>60247991</u>	Not Issued	159	11/14/2000	Method for producing p-type gallium nitride-based compound semiconductor, method for producing gallium nitride-based compound semiconductor light-emitting device, and gallium nitride-based compound semiconductor light-emitting device	FUJIOKA, HIROSHI

Inventor Search Completed: No Records to Display.

Search Another: Inventor **Last Name**  **First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Thursday  
Date: 8/31/2006

PALM INTRANET

Time: 10:29:12

**Inventor Name Search Result**

Your Search was:

Last Name = SHIRAI

First Name = YOSHIMI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<del>07553960</del>	<del>5082669</del>	<del>150</del>	07/18/1990	RAPID-RELEASING ORAL PARTICLE PHARMACEUTICAL PREPARATION WITH UNPLEASANT TASTE MASKED	SHIRAI, YOSHIMI
09529715	Not Issued	71	04/19/2000	RAPIDLY SOLUBLE DRUG COMPOSITION	SHIRAI, YOSHIMI
09529719	6297244	150	04/19/2000	STABLE DRUG COMPOSITION	SHIRAI, YOSHIMI
<del>09614182</del>	<del>6413541</del>	150	07/11/2000	DISINTEGRATING TABLET IN ORAL CAVITY AND PRODUCTION THEREOF	SHIRAI, YOSHIMI
<del>11498147</del>	Not Issued	25	08/03/2006	Fast-dissolving pharmaceutical composition	SHIRAI, YOSHIMI
<del>07184123</del>	<del>4862575</del>	150	04/20/1988	METHOD AND APPARATUS FOR FINISHING GROOVED ARTICLES	SHIRAI, YOSHIMICHI
<del>07363923</del>	<del>4949002</del>	150	06/09/1989	ROTOR FOR PRINTED-WIRING MOTOR	SHIRAI, YOSHIMICHI
<del>07379964</del>	Not Issued	166	07/14/1989	METHOD AND APPARATUS FOR FINISHING GROOVED ARTICLES	SHIRAI, YOSHIMICHI
<del>07417494</del>	<del>5003212</del>	150	10/05/1989	COMMUTATOR AND METHOD OF MAKING THE SAME	SHIRAI, YOSHIMICHI
<del>07602936</del>	<del>5174001</del>	150	10/24/1990	METHOD AND APPARATUS FOR FINISHING GROOVED ARTICLES	SHIRAI, YOSHIMICHI
<del>07958704</del>	Not Issued	166	10/09/1992	METHOD OF MANUFACTURING CONTAINER	SHIRAI, YOSHIMICHI
<del>07958734</del>	Not Issued	161	10/09/1992	METHOD OF BLOW MOLDING	SHIRAI, YOSHIMICHI
<del>08164971</del>	Not Issued	161	12/01/1993	METHOD OF MANUFACTURING CONTAINER HAVING RADIALY FORMED PROJECTIONS, AND CONTAINER THEREOF	SHIRAI, YOSHIMICHI
<del>08377107</del>	<del>5520867</del>	150	01/23/1995	METHOD OF MANUFACTURING A RESIN STRUCTURE REINFORCED WITH LONG FIBERS	SHIRAI, YOSHIMITSU
<del>08377214</del>	<del>5534210</del>	150	01/23/1995	METHOD OF TAKING OUT A FIBER	SHIRAI, YOSHIMITSU

				BUNDLE AND METHOD OF MANUFACTURING A RESIN STRUCTURE REINFORCED WITH LONG FIBERS	
<del>08526695</del>	<del>5639410</del>	<del>150</del>	09/11/1995	APPARATUS AND METHOD FOR MANUFACTURING A RESIN STRUCTURE REINFORCED WITH LONG FIBERS	SHIRAI, YOSHIMITSU
<del>08531331</del>	<del>5637270</del>	<del>150</del>	09/20/1995	APPARATUS AND METHOD FOR MANUFACTURING A RESIN STRUCTURE REINFORCED WITH LONG FIBERS	SHIRAI, YOSHIMITSU
<del>08543714</del>	<del>5658513</del>	<del>150</del>	10/16/1995	CROSS-HEAD DIE AND METHOD FOR MANUFACTURING A RESIN STRUCTURE REINFORCED WITH LONG FIBERS	SHIRAI, YOSHIMITSU
<del>08596346</del>	<del>5783129</del>	<del>250</del>	02/16/1996	APPARATUS, METHOD, AND COATING DIE FOR PRODUCING LONG FIBER-REINFORCED THERMOPLASTIC RESIN COMPOSITION	SHIRAI, YOSHIMITSU
<del>08596347</del>	<del>5718858</del>	<del>250</del>	02/16/1996	APPARATUS, METHOD, AND COATING DIE FOR PRODUCING LONG FIBER-REINFORCED THERMOPLASTIC RESIN COMPOSITION	SHIRAI, YOSHIMITSU
<del>10736597</del>	Not Issued	161	12/17/2003	Frame for color selection electrode assembly and method of manufacturing color selection electrode assembly	SHIRAISHI, YOSHIMITSU


Inventor Search Completed: No Records to Display.

Search Another: Inventor **Last Name** **First Name**  
 SHIRAI YOSHIMI

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Thursday  
Date: 8/31/2006


**PALM INTRANET**

Time: 10:22:01

**Inventor Name Search Result**

Your Search was:

Last Name = OGASAWARA

First Name = KAZUYOSHI

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<del>07575704</del>	<del>5001928</del>	150	08/31/1990	LIQUID LEVEL DETECTING APPARATUS	OGASAWARA, KAZUYOSHI
<del>08199886</del>	<del>5418721</del>	250	02/22/1994	CONTROL DEVICE FOR TRANSMISSION OF SUPERVISORY CONTROL DATA IN VEHICLE	OGASAWARA, KAZUYOSHI
<del>09041004</del>	<del>6151306</del>	150	03/12/1998	VEHICLE MULTIPLEX COMMUNICATION SYSTEM	OGASAWARA, KAZUYOSHI
<del>09461284</del>	<del>6472835</del>	150	12/15/1999	OPENING AND CLOSING MOTION CONTROL DEVICE FOR CLOSING MEMBER	OGASAWARA, KAZUYOSHI
<del>09514182</del>	<del>6377428</del>	150	02/28/2000	A SWITCHING DEVICE HAVING THE CAPABILITY OF DETECTING AN ABNORMALITY	OGASAWARA, KAZUYOSHI
<del>09514333</del>	<del>6229355</del>	150	02/28/2000	Switching device for suppressing a rush current	OGASAWARA, KAZUYOSHI
09529715	Not Issued	71	04/19/2000	RAPIDLY SOLUBLE DRUG COMPOSITION	OGASAWARA, KAZUYOSHI
09529719	6297244	150	04/19/2000	STABLE DRUG COMPOSITION	OGASAWARA, KAZUYOSHI
<del>09614182</del>	<del>6413541</del>	150	07/11/2000	DISINTEGRATING TABLET IN ORAL CAVITY AND PRODUCTION THEREOF	OGASAWARA, KAZUYOSHI
<del>09698162</del>	<del>6445270</del>	150	10/30/2000	ELECTROMAGNETIC INDUCTION CONNECTOR	OGASAWARA, KAZUYOSHI
<del>09793910</del>	<del>6483054</del>	150	02/28/2001	PRESSURE-SENSITIVE SENSOR, CONNECTOR AND COMBINING STRUCTURE THEREOF	OGASAWARA, KAZUYOSHI
<del>09987321</del>	<del>6456047</del>	150	11/14/2001	METHOD OF CHARGING SLIDE DOOR-CONTAINED BATTERY	OGASAWARA, KAZUYOSHI
<del>10082155</del>	Not Issued	161	02/26/2002	Feeder System	OGASAWARA, KAZUYOSHI
<del>10516274</del>	Not Issued	30	11/30/2004	Rapidly disintegrating tablet and process for producing the same	OGASAWARA, KAZUYOSHI
11498147	Not Issued	25	08/03/2006	Fast-dissolving pharmaceutical composition	OGASAWARA, KAZUYOSHI

TD

Day : Thursday  
Date: 8/31/2006


**PALM INTRANET**

Time: 10:17:07

**Inventor Name Search Result**

Your Search was:

Last Name = OHASHI

First Name = MAMORU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>06134332</u> ABN	Not Issued	163	03/26/1980	PROCESS OF PRODUCING AS-ROLLED, HIGH-STRENGTH HIGH-TOUGHNESS STEEL	OHASHI, MAMORU
<u>06313707</u> ABN	Not Issued	166	10/21/1981	METHOD OF PRODUCING STEEL HAVING HIGH STRENGTH AND TOUGHNESS	OHASHI, MAMORU
<u>06424780</u> ABN	Not Issued	168	09/27/1982	METHOD OF MAKING WROUGHT HIGH TENSION STEEL HAVING SUPERIOR LOW TEMPERATURE TOUGHNESS	OHASHI, MAMORU
<u>06519897</u> ABN	Not Issued	166	08/04/1983	METHOD OF PRODUCING STEEL HAVING HIGH STRENGTH AND TOUGHNESS	OHASHI, MAMORU
<u>06562250</u>	<del>4521258</del>	150	12/16/1983	METHOD OF MAKING WROUGHT HIGH TENSION <del>STEEL</del> HAVING SUPERIOR LOW TEMPERATURE TOUGHNESS	OHASHI, MAMORU
<u>06646490</u>	<del>4591396</del>	150	09/04/1984	METHOD OF PRODUCING <del>STEEL</del> HAVING HIGH STRENGTH AND TOUGHNESS	OHASHI, MAMORU
09529715	Not Issued	71	04/19/2000	RAPIDLY SOLUBLE DRUG COMPOSITION	OHASHI, MAMORU
<u>09529719</u>	<u>6297244</u>	150	04/19/2000	STABLE DRUG COMPOSITION	OHASHI, MAMORU
11498147	Not Issued	25	08/03/2006	Fast-dissolving pharmaceutical composition	OHASHI, MAMORU

Inventor Search Completed: No Records to Display.

**Search Another: Inventor**
Last Name OHASHI
First Name MAMORU

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



## Refine Search

### Search Results -

Term	Documents
FUJIKOA	3
FUJIKOAS	0
HIROSHI	487314
HIROSHIS	0
((FUJIKOA.IN.) NEAR HIROSHI).PGPB,USPT,EPAB,JPAB,DWPI.	0
(FUJIKOA.IN. NEAR HIROSHI).PGPB,USPT,EPAB,JPAB,DWPI.	0

**Database:**

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:**

L4

Refine Search

Recall Text 

Clear

Interrupt

### Search History

**DATE:** Thursday, August 31, 2006

[Purge Queries](#)

[Printable Copy](#)

[Create Case](#)

**Set Name Query**  
side by side

**Hit Count Set Name**  
result set

*DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR*

L4 fujikoa.in. near hiroshi

0 L4

<u>L3</u>	shirai.in. near yoshimi	9	<u>L3</u>
<u>L2</u>	ogasawara.in. near kazuyoshi	71	<u>L2</u>
<u>L1</u>	ohashi.in. near mamoru	40	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
"6629904"	2
6629904S	0
"6629904".PN..PGPB,USPT,EPAB,JPAB,DWPI.	2
(6629904.PN.).PGPB,USPT,EPAB,JPAB,DWPI.	2

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L34





### Search History

DATE: Thursday, August 31, 2006

[Purge Queries](#)[Printable Copy](#)[Create Case](#)
**Set Name**  
 side by side
**Query****Hit Count**
**Set Name**  
 result set

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR

<a href="#">L34</a>	6629904.pn.	2	<a href="#">L34</a>
<a href="#">L33</a>	6977487.pn.	2	<a href="#">L33</a>
<a href="#">L32</a>	5061642.pn.	2	<a href="#">L32</a>
<a href="#">L31</a>	5142641.pn.	2	<a href="#">L31</a>
<a href="#">L30</a>	5206787.pn.	2	<a href="#">L30</a>
<a href="#">L29</a>	5082669.pn.	2	<a href="#">L29</a>
<a href="#">L28</a>	5180684.pn.	2	<a href="#">L28</a>
<a href="#">L27</a>	5718858.pn.	2	<a href="#">L27</a>
<a href="#">L26</a>	5783129.pn.	2	<a href="#">L26</a>
<a href="#">L25</a>	5658513.pn.	2	<a href="#">L25</a>
<a href="#">L24</a>	5637270.pn.	2	<a href="#">L24</a>
<a href="#">L23</a>	5639410.pn.	2	<a href="#">L23</a>
<a href="#">L22</a>	5534210.pn.	2	<a href="#">L22</a>

<u>L21</u>	5520867.pn.	2	<u>L21</u>
<u>L20</u>	5174001.pn.	2	<u>L20</u>
<u>L19</u>	5003212.pn.	2	<u>L19</u>
<u>L18</u>	4949002.pn.	2	<u>L18</u>
<u>L17</u>	4862575.pn.	2	<u>L17</u>
<u>L16</u>	4862575.pn.	2	<u>L16</u>
<u>L15</u>	6413541.pn.	2	<u>L15</u>
<u>L14</u>	5082669.pn.	2	<u>L14</u>
<u>L13</u>	6456047.pn.	2	<u>L13</u>
<u>L12</u>	645047.pn.	7	<u>L12</u>
<u>L11</u>	6483054.pn.	2	<u>L11</u>
<u>L10</u>	6445270.pn.	2	<u>L10</u>
<u>L9</u>	6413541.pn..pn.	2	<u>L9</u>
<u>L8</u>	6229355.pn.	2	<u>L8</u>
<u>L7</u>	6377428.pn.	2	<u>L7</u>
<u>L6</u>	6472835.pn.	2	<u>L6</u>
<u>L5</u>	6151306.pn.	2	<u>L5</u>
<u>L4</u>	5418721.pn.	2	<u>L4</u>
<u>L3</u>	5001928.pn.	2	<u>L3</u>
<u>L2</u>	4591396.pn.	2	<u>L2</u>
<u>L1</u>	4521258.pn.	2	<u>L1</u>

END OF SEARCH HISTORY